


CERTIFICATE

TÜV NORD CERT GmbH
herewith declares that

Anhui Schutten Solar Energy Co., Ltd.
Weisan Road, Quanjiao Economic Development Area
Chuzhou City, Anhui Province, 239500
P.R. China

is authorized to provide the product mentioned below with the mark as illustrated:



Description of product (details see Annex 2):

PV Modules with 6" Mono-crystalline Silicon Solar Cells

PV Modules with 6" Poly-crystalline Silicon Solar Cells

Valid until: 2024-10-13

Tested according to: IEC 62716:2013 / EN 62716:2013 + AC:2014.
Registered No.: 44 780 19 406749 - 329
Manufacturer: see Annex 1
Test Report No.: 492011302.001
File No.: SHV07001/19-02



Essen, 2019-10-14



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Please also pay attention to the information stated overleaf.

Manufacturer:

Manufacturer: **Anhui Schutten Solar Energy Co., Ltd.**
Weisan Road, Quanjiao Economic Development Area
Chuzhou City, Anhui Province, 239500, P.R. China

Factory inspection report no.: 862010118.008

Manufacturer: **Schutten Solar (Thailand) Co., Ltd.**
41/9 Moo, 8 T, Bowin, A. Sriracha, Chonburi, Thailand, 20230

Factory inspection report no.: 862010221.005

Remark:

Factory inspection is mandatory to be performed annually. Please refer to factory inspection report for detailed information.



TÜV NORD CERT GmbH
Certification Body
Consumer Products

Description of product(s):

Module types: **PV Modules with 6" Mono-crystalline Silicon Solar Cells:**
72 cells: STM6-xxx/72 (xxx = 320-380, in increment of 5)
60 cells: STM6-xxx/60 (xxx = 270-315, in increment of 5)
54 cells: STM6-xxx/54 (xxx = 240-285, in increment of 5)
48 cells: STM6-xxx/48 (xxx = 215-250, in increment of 5)
36 cells: STM6-xxx/36 (xxx = 160-190, in increment of 5)

Maximum system voltage: 1500V
Fuse rating: 15A
Application class: Class A
Electrical protection class: Class II

Module types: **PV Modules with 6" Poly-crystalline Silicon Solar Cells:**
72 cells: STP6-xxx/72 (xxx = 300-355, in increment of 5)
60 cells: STP6-xxx/60 (xxx = 250-295, in increment of 5)
54 cells: STP6-xxx/54 (xxx = 225-265, in increment of 5)
48 cells: STP6-xxx/48 (xxx = 200-235, in increment of 5)
36 cells: STP6-xxx/36 (xxx = 150-175, in increment of 5)

Maximum system voltage: 1500V
Fuse rating: 15A
Application class: Class A
Electrical protection class: Class II

Remark:

For detailed product information, please refer to CDF (Constructional Data Form) in Annex 1 of test report.



TÜV NORD CERT GmbH
Certification Body
Consumer Products